

# SAFETY DATA SHEET: AD25 SCATTERGRIP

Revision Date: 26/07/2015

Page 1/12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product name: SCATTERGRIP**

#### **REACH Registration Number**

This product is a mixture and therefore not directly subject of the registration requirements under REACH.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Modelling adhesive

### 1.3. Details of the supplier of the safety data sheet

Deluxe Materials Ltd  
Unit 13, Cufaude Business Park  
Cufaude Lane  
Bramley  
Hampshire  
RG26 5DL  
United Kingdom

Tel: +44 (0)1256 883 944

Fax: +44 (0)1256 883 966

#### **SDS Contact (email of responsible person)**

[info@deluxematerials.com](mailto:info@deluxematerials.com)

### 1.4. Emergency telephone number

+44 (0)1256 883 944 (Office hours only)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### **Classification (REGULATION (EC) No 1272/2008)**

Eye irritation, Category 2 H319: Causes serious eye irritation.

### 2.2 Label elements

#### **Labelling (REGULATION (EC) No 1272/2008)**



Hazard pictograms :

Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/eye protection/ face protection.

**Response:**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

**Additional Labelling:**

EUH208 Contains: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1), 1,2-Benzisothiazol-3(2H)-one. , 2-Methyl-2H-isothiazol-3-one. May produce an allergic reaction.

### 2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Polymer aqueous dispersion.

#### Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Nonylphenol, branched, ethoxylated (12 E0)	68412-54-4	Eye Dam. 1; H318 Aquatic Chronic 3; H412	< 2
ammonia, anhydrous	7664-41-7 231-635-3 01- 2119488876- 14-XXXX	Flam. Gas 2; H221 Skin Corr. 1B; H314 Acute Tox. 3; H331 Aquatic Acute 1; H400 M-Factor 1	< 0.5
Formaldehyde	50-00-0 200-001-8 01- 2119488953- 20-XXXX	Carc. 1B; H350 Muta. 2; H341 Acute Tox. 3; H331 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Skin Sens. 1; H317	< 0.01

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

### **4.1 Description of first aid measures**

General advice : Get medical attention if symptoms occur.

Show this safety data sheet to the doctor in attendance.

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.

In case of skin contact : Wash off immediately with soap and plenty of water. Remove contaminated clothing. If irritation develops, get medical attention. Wash contaminated clothing before reuse.

In case of eye contact : Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

If swallowed : If accidentally swallowed obtain immediate medical attention. Do NOT induce vomiting.

### **4.2 Most important symptoms and effects, both acute and delayed**

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Repeated or prolonged exposure may cause irritation of eyes and skin.

### **4.3 Indication of any immediate medical attention and special treatment needed**

No information available.

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

Suitable extinguishing media : Not combustible. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media: No information available.

### **5.2 Special hazards arising from the substance or mixture**

The pressure in sealed containers can increase under the influence of heat.

### **5.3 Advice for firefighters**

Use personal protective equipment. The product itself does not burn. Prevent fire extinguishing water from contaminating surface water or the ground water system. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment.

### **6.2 Environmental precautions**

The product should not be allowed to enter drains, water courses or the soil.

### **6.3 Methods and materials for containment and cleaning up**

Prevent further leakage or spillage if safe to do so. Large spills should be collected mechanically (remove by pumping) for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labelled containers. Clean contaminated floors and objects thoroughly while observing environmental regulations. Dispose of in accordance with local regulations.

#### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Wear personal protective equipment. For personal protection see section 8. Avoid inhalation, ingestion and contact with skin and eyes. Do not use in areas without adequate ventilation. Smoking, eating and drinking should be prohibited in the application area.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in original container. Keep in properly labelled containers. Store between 5 and 35 °C in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Do not freeze.

### 7.3 Specific end uses

Consult the technical guidelines for the use of this substance/mixture.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Components	CAS-No.	Value	Control parameters	Update	Basis
ammonia, anhydrous	7664-41-7	TWA	25 ppm 18 mg/m <sup>3</sup>	2007	EH40 (UK)
		STEL	35 ppm 25 mg/m <sup>3</sup>	2007	EH40 (UK)
Formaldehyde	50-00-0	TWA	2 ppm 2.5 mg/m <sup>3</sup>	2005	EH40 (UK)
		STEL	2.5 mg/m <sup>3</sup>	2005	EH40 (UK)

### DNEL

#### ammonia, anhydrous :

End Use: Workers

Exposure routes: Skin contact

Potential health effects: Short term, Systemic toxicity

68 mg/kg

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Short term, Systemic toxicity

Value: 47.6 mg/m<sup>3</sup>

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Short term, Local effects

Value: 36 mg/m<sup>3</sup>

End Use: Workers

Exposure routes: Skin contact  
Potential health effects: Long term, Systemic toxicity  
68 mg/kg  
End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Long term, Systemic toxicity  
Value: 47.6 mg/m<sup>3</sup>  
End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Long term, Local effects  
Value: 14 mg/m<sup>3</sup>  
End Use: Consumers  
Exposure routes: Skin contact  
Potential health effects: Short term, Systemic toxicity  
68 mg/kg  
End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Short term, Systemic toxicity  
Value: 23.8 mg/m<sup>3</sup>  
End Use: Consumers  
Exposure routes: Ingestion  
Potential health effects: Short term, Systemic toxicity  
6.8 mg/kg  
End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Short term, Local effects  
Value: 7.2 mg/m<sup>3</sup>  
End Use: Consumers  
Exposure routes: Skin contact  
Potential health effects: Long term, Systemic toxicity  
68 mg/kg  
End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long term, Systemic toxicity  
Value: 23.8 mg/m<sup>3</sup>  
End Use: Consumers  
Exposure routes: Ingestion  
Potential health effects: Long term, Systemic toxicity  
6.8 mg/kg  
End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long term, Local effects  
Value: 2.8 mg/m<sup>3</sup>

**Formaldehyde :**

End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Short term, Local effects  
Value: 1 mg/m<sup>3</sup>  
End Use: Workers  
Exposure routes: Skin contact  
Potential health effects: Long term, Systemic toxicity  
240 mg/kg  
End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Long term, Systemic toxicity  
Value: 9 mg/m<sup>3</sup>  
End Use: Workers  
Exposure routes: Skin contact  
Potential health effects: Long term, Local effects  
Value: 0.037 mg/cm<sup>2</sup>  
End Use: Workers

Exposure routes: Inhalation  
Potential health effects: Long term, Local effects  
Value: 0.5 mg/m<sup>3</sup>  
End Use: Consumers  
Exposure routes: Skin contact  
Potential health effects: Long term, Systemic toxicity  
102 mg/kg  
End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long term, Systemic toxicity  
Value: 3.2 mg/m<sup>3</sup>  
End Use: Consumers  
Exposure routes: Ingestion  
Potential health effects: Long term, Systemic toxicity  
4.1 mg/kg  
End Use: Consumers  
Exposure routes: Skin contact  
Potential health effects: Long term, Local effects  
Value: 0.012 mg/cm<sup>2</sup>  
End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long term, Local effects  
Value: 0.1 mg/m<sup>3</sup>

## **PNEC**

### **ammonia, anhydrous :**

Fresh water  
Value: 0.0011 mg/l  
Marine water  
Value: 0.0011 mg/l  
Intermittent use/release  
Value: 0.0068 mg/l

### **Formaldehyde:**

Fresh water  
Value: 0.47 mg/l  
Marine water  
Value: 0.47 mg/l  
Intermittent use/release  
Value: 4.7 mg/l  
Impact on Sewage Treatment  
Value: 0.19 mg/l  
Fresh water sediment  
Value: 2.44 mg/kg  
Marine sediment  
Value: 2.44 mg/kg  
Soil  
Value: 0.21 mg/kg

## **8.2 Exposure controls**

### **Engineering measures**

Use adequate ventilation and/or engineering controls in high temperature processing to prevent exposure to vapours. Ensure adequate ventilation, especially in confined areas.

### **Personal protective equipment**

Respiratory protection : not required under normal use

Hand protection : Protective gloves complying with EN 374.: Nitrile rubber  
Break through time: 480 min  
Glove thickness: 0.1 - 0.4 mm: Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Safety glasses with side-shields conforming to EN166

Skin and body protection : not required under normal use. Skin should be washed after contact. Remove and wash contaminated clothing before re-use.

Hygiene measures : Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke.

Protective measures : Ensure that eye flushing systems and safety showers are located close to the working place.

### **Environmental exposure controls**

General advice: The product should not be allowed to enter drains, water courses or the soil.

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

Appearance : liquid, aqueous dispersion  
Colour : white  
Odour : ester-like  
Odour Threshold : not determined  
Melting point/freezing point : not determined  
Boiling point : not determined  
Flash point : not applicable  
Evaporation rate : not determined  
Flammability (solid, gas) : The product is not flammable.  
Lower explosion limit : not applicable  
Upper explosion limit : not applicable  
Vapour pressure : ca. 23 hPa, at 20 °C  
Relative vapour density : not determined  
Relative density : 0.9 - 1.1  
Water solubility : insoluble, completely miscible, in all proportions  
Partition coefficient: noctanol/  
water  
: not determined  
Ignition temperature : not applicable  
Explosive properties : not applicable  
Oxidizing properties : not applicable

### **9.2 Other information**

No information available.

## **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

### **10.2 Chemical stability**

Stable under recommended storage conditions.

### **10.3 Possibility of hazardous reactions**

None known.

#### 10.4 Conditions to avoid

Extremes of temperature and direct sunlight.

#### 10.5 Incompatible materials

None known.

#### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

No data is available on the product itself. Information given is based on data on the components and the toxicology of similar products.

#### Components:

##### **Nonylphenol, branched, ethoxylated (12 E0):**

Acute oral toxicity : LD50 Oral: > 2,000 mg/kg, rat

Serious eye damage/eye irritation

: Severe eye irritation

##### **ammonia, anhydrous:**

Acute oral toxicity : LD50 Oral: 350 mg/kg, rat, OECD Test Guideline 401

Skin corrosion/irritation : Rabbit, OECD Test Guideline 404, Causes severe skin burns.

Serious eye damage/eye irritation

: Severe eye irritation

Respiratory or skin

sensitization

: Does not cause skin sensitization.

Genotoxicity in vitro : OECD Test Guideline 471, In vitro tests did not show mutagenic effects

Carcinogenicity : Based on available data, the classification criteria are not met.

Reproductive toxicity : Fertility and developmental toxicity tests did not reveal any effect on reproduction.

STOT - single exposure : Exposure routes: Inhalation

Target Organs: Respiratory system

Assessment: May cause respiratory irritation.

STOT - repeated exposure : No data available

##### **Formaldehyde:**

Acute oral toxicity : LD50 Oral: 600 - 800 mg/kg, rat

Acute inhalation toxicity : LC50: 0.578 mg/l, rat

Acute dermal toxicity : LD50 Dermal: 270 mg/kg, Rabbit

Skin corrosion/irritation : Corrosive to skin

Serious eye damage/eye irritation

: May cause irreversible eye damage.

Respiratory or skin

sensitization

: May cause sensitization by skin contact.

Carcinogenicity : Suspected of causing cancer.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### **Product:**

Ecotoxicology Assessment

Acute aquatic toxicity : No data is available on the product itself.



Chronic aquatic toxicity : No data is available on the product itself.

**Components:**

**Nonylphenol, branched, ethoxylated (12 E0):**

Toxicity to fish : LC50: 10 - 20 mg/l, 96 h, Fish

Toxicity to daphnia and other aquatic invertebrates.

: 44 mg/l, 48 h, Daphnia magna (Water flea)

**ammonia, anhydrous:**

Toxicity to fish : LC50: 0.8 mg/l, 96 h, Fish, Very toxic to aquatic organisms.

Toxicity to daphnia and other aquatic invertebrates.

: EC50: 24.4 mg/l, 48 h, Daphnia magna (Water flea)

Toxicity to algae : No data available

Toxicity to fish (Chronic toxicity)

: No data available

Toxicity to daphnia and other aquatic invertebrates.

(Chronic toxicity)

: No data available

**Formaldehyde:**

Toxicity to fish : LC50: 41 mg/l, 96 h, Danio rerio (zebra fish)

Toxicity to daphnia and other aquatic invertebrates.

: EC50: 42 mg/l, 24 h, Daphnia magna (Water flea)

**Product:**

Biodegradability : Taking into consideration the properties of several components, the product is estimated not to be readily biodegradable according to OECD classification.

**Components:**

**Nonylphenol, branched, ethoxylated (12 E0):**

Biodegradability : OECD Test Guideline 301, Not readily biodegradable.

**ammonia, anhydrous:**

Biodegradability : No data available

**Formaldehyde:**

Biodegradability : Readily biodegradable, according to appropriate OECD test.

**12.3 Bioaccumulative potential**

**Product:**

Bioaccumulation : Bioaccumulation is unlikely.

**Components:**

**ammonia, anhydrous:**

Bioaccumulation : No data available

**Formaldehyde:**

Bioaccumulation : Bioaccumulation is unlikely.

**12.4 Mobility in soil**

**Product:**

Distribution among environmental compartments

: No data available

Physico-chemical removability

: 98 %, OECD Test Guideline 302, The product can be eliminated from water by abiotic processes, e.g. adsorption on activated sludge.

**Components:**

**Formaldehyde:**

Distribution among environmental compartments

: Medium: Soil, Highly mobile in soils

**12.5 Results of PBT and vPvB assessment**

**Product:**

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**12.6 Other adverse effects**

**Product:**

This product has no known eco-toxicological effects.

## **SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

In accordance with local and national regulations.

The product should not be allowed to enter drains, water courses or the soil.

Waste water from subsequent processing should be given appropriate treatment in line with local regulations.

Contaminated packaging : In accordance with local and national regulations

## **SECTION 14: Transport information**

**14.1 UN number**

**ADR**

Not dangerous goods

**RID**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

**14.2 Proper shipping name**

**ADR**

Not dangerous goods

**RID**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

**14.3 Transport hazard class**

**ADR**

Not dangerous goods

**RID**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

#### **14.4 Packing group**

**ADR**

Not dangerous goods

**RID**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

#### **14.5 Environmental hazards**

**ADR**

Not dangerous goods

**RID**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

#### **14.6 Special precautions for user**

Not classified as dangerous in the meaning of transport regulations.

#### **14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

not applicable

## **SECTION 15: Regulatory information**

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Water contaminating class

(Germany)

: WGK 1 slightly water endangering

Classification according VwVwS, Annex 4.

### **15.2 Chemical Safety Assessment**

not applicable

## **SECTION 16: Other information**

### **Full text of H-Statements referred to under sections 2 and 3.**

H221 Flammable gas.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Information taken from reference works and the literature.

The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### **Annex: Exposure Scenario(s)**

Development of Exposure Scenario is not required.